Security & Electronic Technologies GmbH

A-2544 Leobersdorf, Aumühlweg 3, Austria





Product Information

Mobile und Stationary Solutions for Level Gauging Torrix Mobile + SECU Tank Data GSM + Tank Monitoring

Level Gauging for mobile and stationary Applications with Data Transfer and Local Display



Complete System for Level Gauging with Data Transfer and Local Display

The system measures the level of the products high accurate and continuously. The levels are indicated in liters and % of the tank content on the SECU-TANK DATA GSM. This can either send the data via the integrated SIM Card to the Tank Monitoring Data Management Program for analyses, evaluation and information for the customer incl. high- and low level alarms as well as alarms on unusual losses (theft control) or send high-/low level alarms to maximum 2 mobile-phone numbers.

Combined with GPS- and Geo-Fence, tour tracking and route plannings are possible



Security & Electronic Technologies GmbH

Tel: +43 2256 20177-0 Fax: +43 2256 20177-11

Aumühlweg 3

A - 2544 Leobersdorf office@secu-tech.at

Austria www.secu-tech.at

Security & Electronic Technologies GmbH

A-2544 Leobersdorf, Aumühlweg 3, Austria





Product Information

Mobile und Stationary Solutions for Level Gauging Torrix Mobile + SECU Tank Data GSM + Tank Monitoring

Application possibilities:

- Different products in EX- areas
- Also for mobile use possible (e.g. tanker trucks)
- Stationary Applications
- Configurable reports and alarm messages
- Evaluation over the Data Management Program "Tankmonitoring" at the PC or mobile

Advantages:

- Continuous, high accurate Level Gauging
- Local Display and Tank Monitoring
- Local Display and Tank Monitoring incl. SMS messages
- SECU-TANK DATA Box for connection of up to 4 Level Gauges
- Configurable alarm settings
- Graphics, Statistics, Historical Data
- Configuration and Settings can be changed remotely
- Easy Installation
- Data Integration in existing systems possible
- Interface: 4-20mA
- Gauge can be delivered with flansh- or screw-in thread

Specification of Torrix:

- Measures: Lengths on demand
- Thread on demand (Flansh- or scew-in thread)
- Operating Temperature: -40°C +85°C
- Measurement accuracy:

Level: up to ± -0.5 mm or ± -0.025 %

Temperature: up to +/- 0,5°C

- Material of the gauge: stainless steel
- Gauges are pre-calibrated before delivery
- Certificates: ATEX, IECEx, NEPSI

Security & Electronic Technologies GmbH

